

L Number	Hits	Search Text	DB	Time stamp
1	828337	DNA near5 isolat\$ or extract\$ or purify\$	USPAT; US-PGPUB; DERWENT	2003/07/02 11:36
2	4246	(DNA near5 isolat\$ or extract\$ or purify\$) and high adj1 salt	USPAT; US-PGPUB; DERWENT	2003/07/02 11:37
3	1354	((DNA near5 isolat\$ or extract\$ or purify\$) and high adj1 salt) and lysis	USPAT; US-PGPUB; DERWENT	2003/07/02 11:38
4	869	((((DNA near5 isolat\$ or extract\$ or purify\$) and high adj1 salt) and lysis) and reagent	USPAT; US-PGPUB; DERWENT	2003/07/02 11:39
5	797	(((((DNA near5 isolat\$ or extract\$ or purify\$) and high adj1 salt) and lysis) and reagent) and biological	USPAT; US-PGPUB; DERWENT	2003/07/02 11:40

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1656SXC

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	Jun 03	New e-mail delivery for search results now available
NEWS	4	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS	5	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS	6	Aug 26	Sequence searching in REGISTRY enhanced
NEWS	7	Sep 03	JAPIO has been reloaded and enhanced
NEWS	8	Sep 16	Experimental properties added to the REGISTRY file
NEWS	9	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS	10	Oct 01	CASREACT Enriched with Reactions from 1907 to 1985
NEWS	11	Oct 24	BEILSTEIN adds new search fields
NEWS	12	Oct 24	Nutraceuticals International (NUTRACEUT) now available on STN
NEWS	13	Nov 18	DKILIT has been renamed APOLLIT
NEWS	14	Nov 25	More calculated properties added to REGISTRY
NEWS	15	Dec 04	CSA files on STN
NEWS	16	Dec 17	PCTFULL now covers WP/PCT Applications from 1978 to date
NEWS	17	Dec 17	TOXCENTER enhanced with additional content
NEWS	18	Dec 17	Adis Clinical Trials Insight now available on STN
NEWS	19	Jan 29	Simultaneous left and right truncation added to COMPENDEX, ENERGY, INSPEC
NEWS	20	Feb 13	CANCERLIT is no longer being updated
NEWS	21	Feb 24	METADEx enhancements
NEWS	22	Feb 24	PCTGEN now available on STN
NEWS	23	Feb 24	TEMA now available on STN
NEWS	24	Feb 26	NTIS now allows simultaneous left and right truncation
NEWS	25	Feb 26	PCTFULL now contains images
NEWS	26	Mar 04	SDI PACKAGE for monthly delivery of multifile SDI results
NEWS	27	Mar 20	EVENTLINE will be removed from STN
NEWS	28	Mar 24	PATDPAFULL now available on STN
NEWS	29	Mar 24	Additional information for trade-named substances without structures available in REGISTRY
NEWS	30	Apr 11	Display formats in DGENE enhanced
NEWS	31	Apr 14	MEDLINE Reload
NEWS	32	Apr 17	Polymer searching in REGISTRY enhanced
NEWS	33	Jun 13	Indexing from 1947 to 1956 added to records in CA/CAPLUS
NEWS	34	Apr 21	New current-awareness alert (SDI) frequency in WPIDS/WPINDEX/WPIX
NEWS	35	Apr 28	RDISCLOSURE now available on STN
NEWS	36	May 05	Pharmacokinetic information and systematic chemical names added to PHAR
NEWS	37	May 15	MEDLINE file segment of TOXCENTER reloaded
NEWS	38	May 15	Supporter information for ENCOMPAT and ENCOMPLIT updated
NEWS	39	May 16	CHEMREACT will be removed from STN
NEWS	40	May 19	Simultaneous left and right truncation added to WSCA
NEWS	41	May 19	RAPRA enhanced with new search field, simultaneous left and right truncation
NEWS	42	Jun 06	Simultaneous left and right truncation added to CBNB

NEWS 43 Jun 06 PASCAL enhanced with additional data
NEWS 44 Jun 20 2003 edition of the FSTA Thesaurus is now available
NEWS 45 Jun 25 HSDB has been reloaded

NEWS EXPRESS April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 12:15:59 ON 02 JUL 2003

=> FIL BIOSIS EMBASE MEDLINE LIFESCI CAPLUS		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'BIOSIS' ENTERED AT 12:16:16 ON 02 JUL 2003
COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'EMBASE' ENTERED AT 12:16:16 ON 02 JUL 2003
COPYRIGHT (C) 2003 Elsevier Science B.V. All rights reserved.

FILE 'MEDLINE' ENTERED AT 12:16:16 ON 02 JUL 2003

FILE 'LIFESCI' ENTERED AT 12:16:16 ON 02 JUL 2003
COPYRIGHT (C) 2003 Cambridge Scientific Abstracts (CSA)

FILE 'CAPLUS' ENTERED AT 12:16:16 ON 02 JUL 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

=> s DNA (2a) isolat? or extract? or purif?
3 FILES SEARCHED...
L1 3627036 DNA (2A) ISOLAT? OR EXTRACT? OR PURIF?

=> s l1 and high (1a) salt (2a) solution
L2 347 L1 AND HIGH (1A) SALT (2A) SOLUTION

=> s l2 and lysis
L3 4 L2 AND LYSIS

=> dup rem l3
PROCESSING COMPLETED FOR L3
L4 2 DUP REM L3 (2 DUPLICATES REMOVED)

=> d l4 1-2

L4 ANSWER 1 OF 2 MEDLINE
 AN 1999247832 MEDLINE
 DN 99247832 PubMed ID: 10232847
 TI Osmotically driven radial diffusion of single-stranded DNA fragments on an agarose bed as a convenient measure of DNA strand scission.
 AU Sestili P; Cantoni O
 CS Istituto di Farmacologia e Farmacognosia and Centro di Farmacologia Oncologica Sperimentale, Universita di Urbino, Italy..
 sestili@fis.uniurb.it
 SO FREE RADICAL BIOLOGY AND MEDICINE, (1999 Apr) 26 (7-8) 1019-26.
 Journal code: 8709159. ISSN: 0891-5849.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 199906
 ED Entered STN: 19990712
 Last Updated on STN: 19990712
 Entered Medline: 19990623

L4 ANSWER 2 OF 2 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.DUPLICATE 1
 AN 1984:175360 BIOSIS
 DN BA77:8344
 TI FLUOROMETRIC QUANTIFICATION OF DNA IN CELLS AND TISSUE.
 AU DOWNS T R; WILFINGER W W
 CS DEP. PHYSIOL., UNIV. CINCINNATI, COLL. MED., 213 BETHESDA AVE., CINCINNATI, OHIO 45267.
 SO ANAL BIOCHEM, (1983) 131 (2), 538-547.
 CODEN: ANBCA2. ISSN: 0003-2697.
 FS BA; OLD
 LA English

=> d l4 1-2 abs

L4 ANSWER 1 OF 2 MEDLINE
 AB The present study describes the development and characterization of a novel technique, the alkaline-halo assay, for the assessment of DNA single strand breakage in mammalian cells. This technique allows the measurement of DNA lesions at the single cell level and presents the additional advantages of being rapid, sensitive, virtually costless and environmentally friendly, because it does not require the use of isotopes. The alkaline halo assay involves a series of sequential steps in which the cells are first treated, then embedded in melted agarose and spread onto microscope slides that are incubated for 2 min at ice-bath temperature to allow complete gelling. The slides are then incubated for 20 min in a **high salt alkaline lysis solution**, for an additional 15 min in a hypotonic alkaline solution and, finally, for 10 min in ethidium bromide. Under these conditions, single-stranded DNA fragments spread radially from the nuclear cage and generate a fluorescent image that resembles a halo concentric to the nucleus remnants. The area of the halos increased at increasing levels of DNA fragmentation and this process was associated with a progressive reduction of areas of the nuclear remnants. These events were conveniently monitored with a fluorescence microscope and quantified by image processing analysis. The sensitivity of the alkaline-halo assay, which is based on the osmotically driven radial diffusion of single-stranded DNA fragments through agarose pores, is remarkably similar to that of the widely used alkaline elution and comet assays.

L4 ANSWER 2 OF 2 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.DUPLICATE 1
 AB The validation of a simple and rapid DNA solubilization procedure is described. Quantitative **extraction** of intact, polymerized DNA was achieved by [rat] cell **lysis** or tissue homogenization in an

ammonium hydroxide-Triton X-100 solution. The solubilization procedure inactivates endogenous DNase and increases the fluorescence-enhancement activity of the **extracted** DNA, thereby eliminating the need for enzyme treatment or exposure to **high salt solutions**. The **extracts** can be utilized directly in a sensitive fluorescence-enhancement assay with bisbenzimidazole (Hoechst 33258) reagent. Estimates of DNA cell content were unaffected by the number of cells lysed or the volume of lysate employed in the assay. In all cases, the solubilized DNA estimates were linear and parallel to the bovine DNA standard. The optimum range for estimation of DNA in this assay is 5-150 ng. In addition, estimates of DNA obtained with this method and the standard diphenylamine assay were in excellent agreement. This simple, 1-step DNA **extraction** procedure can be utilized in conjunction with Hoechst reagent to obtain quantitative estimates of DNA levels in cell or tissue **extracts**.

=> FIL MEDLINE
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
21.33	21.54

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 12:18:58 ON 02 JUL 2003

FILE LAST UPDATED: 1 JUL 2003 (20030701/UP). FILE COVERS 1958 TO DATE.

On April 13, 2003, MEDLINE was reloaded. See HELP RLOAD for details.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2003 vocabulary. See <http://www.nlm.nih.gov/mesh/changes2003.html> for a description on changes.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> E HEATH E M/AU 25

E1	10	HEATH E I/AU
E2	2	HEATH E J/AU
E3	15 -->	HEATH E M/AU
E4	8	HEATH E S/AU
E5	1	HEATH EDWARD M/AU
E6	2	HEATH ELISABETH I/AU
E7	1	HEATH ELIZABETH I/AU
E8	1	HEATH ELLEN M/AU
E9	1	HEATH EMMA K/AU
E10	2	HEATH ERICA/AU
E11	1	HEATH ERICA J/AU
E12	13	HEATH F/AU
E13	1	HEATH F C/AU
E14	3	HEATH F R/AU
E15	1	HEATH FRACICA L A/AU
E16	19	HEATH G/AU
E17	9	HEATH G A/AU
E18	18	HEATH G B/AU
E19	1	HEATH G C/AU
E20	9	HEATH G E/AU
E21	5	HEATH G F/AU
E22	14	HEATH G G/AU
E23	3	HEATH G H/AU
E24	2	HEATH G L/AU
E25	1	HEATH G R/AU

=> S (E8)

L5 1 ("HEATH ELLEN M"/AU)

=> DIS L5 1 IBIB ABS

L5 ANSWER 1 OF 1 MEDLINE
ACCESSION NUMBER: 2002125907 MEDLINE
DOCUMENT NUMBER: 21849689 PubMed ID: 11860298
TITLE: Utilizing genomic DNA purified from clotted blood samples
for single nucleotide polymorphism genotyping.
AUTHOR: Adkins Karissa K; Strom Daniel A; Jacobson Thomas E;
Seemann Cara R; O'Brien Darin P; **Heath Ellen M**
CORPORATE SOURCE: Gentra Systems Inc, Minneapolis, MN 55441, USA.
SOURCE: ARCHIVES OF PATHOLOGY AND LABORATORY MEDICINE, (2002 Mar)
126 (3) 266-70.
Journal code: 7607091. ISSN: 0003-9985.
PUB. COUNTRY: United States
DOCUMENT TYPE: (EVALUATION STUDIES)
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Abridged Index Medicus Journals; Priority Journals
ENTRY MONTH: 200203
ENTRY DATE: Entered STN: 20020226
Last Updated on STN: 20020403
Entered Medline: 20020327
AB CONTEXT: Linking single nucleotide polymorphisms to disease etiology is
expected to result in a substantial increase in the number of genetic
tests available and performed at clinical laboratories. Whole blood
serves as the most common DNA source for these tests. Because the number
of blood samples rises with the number of genetic tests performed,
alternative DNA sources will become important. One such alternative
source is clotted blood, a by-product of serum extraction. Efficiently
using an already procured blood sample would limit the overall number of
samples processed by clinical laboratories. OBJECTIVE: To determine if
DNA purified from clotted blood can be effectively used for single
nucleotide polymorphism genotyping. DESIGN: DNA was purified from the
clotted blood of 15 donors. Single nucleotide polymorphism genotyping for
the methylenetetrahydrofolate reductase and factor V Leiden mutations was
performed with each DNA sample by 2 independent methods. RESULTS:
High-quality DNA was obtained from each of the 15 individual clotted blood
samples as demonstrated by UV spectrophotometric analysis, gel
electrophoresis, and polymerase chain reaction amplification. The DNA was
used successfully to obtain genotype data from both the
methylenetetrahydrofolate reductase and factor V single nucleotide
polymorphism assays for all samples tested. CONCLUSIONS: Clotted blood is
a clinically abundant sample type that can be used as a source of
high-quality DNA for single nucleotide polymorphism genotyping.

=> d his


(FILE 'HOME' ENTERED AT 12:15:59 ON 02 JUL 2003)

FILE 'BIOSIS, EMBASE, MEDLINE, LIFESCI, CAPLUS' ENTERED AT 12:16:16 ON 02
JUL 2003

L1 3627036 S DNA (2A) ISOLAT? OR EXTRACT? OR PURIF?
L2 347 S L1 AND HIGH (1A) SALT (2A) SOLUTION
L3 4 S L2 AND LYSIS
L4 2 DUP REM L3 (2 DUPLICATES REMOVED)

FILE 'MEDLINE' ENTERED AT 12:18:58 ON 02 JUL 2003

E HEATH E M/AU 25
L5 1 S (E8)



PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Bo
Search	PubMed	▼	for	heath EM	Go	Clear		
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	▼	Show:	20	▼	Sort	▼	Send to	Text	▼
Items 1-17 of 17										One page

Entrez PubMed

- ☐ 1: [Ristic JM, Ramsey IK, Heath EM, Evans HJ, Herrtage ME.](#) Related Articles, Links



The use of 17-hydroxyprogesterone in the diagnosis of canine hyperadrenocorticism.

J Vet Intern Med. 2002 Jul-Aug;16(4):433-9.

PMID: 12141305 [PubMed - indexed for MEDLINE]

PubMed Services

- ☐ 2: [Heath EM, Coleman KJ.](#) Related Articles, Links



Evaluation of the institutionalization of the coordinated approach to child health (CATCH) in a U.S./Mexico border community.

Health Educ Behav. 2002 Aug;29(4):444-60.

PMID: 12137238 [PubMed - indexed for MEDLINE]

- ☐ 3: [Adkins KK, Strom DA, Jacobson TE, Seemann CR, O'Brien DP, Heath EM.](#) Related Articles, Links



Utilizing genomic DNA purified from clotted blood samples for single nucleotide polymorphism genotyping.

Arch Pathol Lab Med. 2002 Mar;126(3):266-70.

PMID: 11860298 [PubMed - indexed for MEDLINE]

Related Resources

- ☐ 4: [Heath EM, Morken NW, Campbell KA, Tkach D, Boyd EA, Strom DA.](#) Related Articles, Links



Use of buccal cells collected in mouthwash as a source of DNA for clinical testing.

Arch Pathol Lab Med. 2001 Jan;125(1):127-33.

PMID: 11151066 [PubMed - indexed for MEDLINE]

- ☐ 5: [Heath EM, O'Brien DP, Banas R, Naylor EW, Dobrowolski S.](#) Related Articles, Links



Optimization of an automated DNA purification protocol for neonatal screening.

Arch Pathol Lab Med. 1999 Dec;123(12):1154-60.

PMID: 10583919 [PubMed - indexed for MEDLINE]









- ☐ 6: [Blackwell JR, Kornatz KW, Heath EM.](#) Related Articles, Links



Effect of grip span on maximal grip force and fatigue of flexor digitorum superficialis.

Appl Ergon. 1999 Oct;30(5):401-5.

PMID: 10484275 [PubMed - indexed for MEDLINE]

- ☐ **7:** Heath EM, Adams TD, Daines MM, Hunt SC. Related Articles, Links
 Bioelectric impedance and hydrostatic weighing with and without head submersion in persons who are morbidly obese.
J Am Diet Assoc. 1998 Aug;98(8):869-75.
PMID: 9710656 [PubMed - indexed for MEDLINE]
- ☐ **8:** Loucks AB, Verdun M, Heath EM. Related Articles, Links
 Low energy availability, not stress of exercise, alters LH pulsatility in exercising women.
J Appl Physiol. 1998 Jan;84(1):37-46.
PMID: 9451615 [PubMed - indexed for MEDLINE]
- ☐ **9:** Farkas DH, Drevon AM, Kiechle FL, DiCarlo RG, Heath EM, Crisan D. Related Articles, Links
 Specimen stability for DNA-based diagnostic testing.
Diagn Mol Pathol. 1996 Dec;5(4):227-35. Erratum in: Diagn Mol Pathol 1997 Jun;6(3):178.
PMID: 8955613 [PubMed - indexed for MEDLINE]
- ☐ **10:** Hunt SC, Daines MM, Adams TD, Heath EM, Williams RR. Related Articles, Links
 Pregnancy weight retention in morbid obesity.
Obes Res. 1995 Mar;3(2):121-30.
PMID: 7719958 [PubMed - indexed for MEDLINE]
- ☐ **11:** Loucks AB, Heath EM. Related Articles, Links
 Dietary restriction reduces luteinizing hormone (LH) pulse frequency during waking hours and increases LH pulse amplitude during sleep in young menstruating women.
J Clin Endocrinol Metab. 1994 Apr;78(4):910-5.
PMID: 8157720 [PubMed - indexed for MEDLINE]
- ☐ **12:** Loucks AB, Heath EM. Related Articles, Links
 Induction of low-T3 syndrome in exercising women occurs at a threshold of energy availability.
Am J Physiol. 1994 Mar;266(3 Pt 2):R817-23.
PMID: 8160876 [PubMed - indexed for MEDLINE]
- ☐ **13:** Heath EM, Wilcox AR, Quinn CM. Related Articles, Links
 Effects of nicotinic acid on respiratory exchange ratio and substrate levels during exercise.
Med Sci Sports Exerc. 1993 Sep;25(9):1018-23.
PMID: 8231769 [PubMed - indexed for MEDLINE]
- ☐ **14:** Heath DA, Heath EM. Related Articles, Links
 Conservative management of primary hyperparathyroidism.
J Bone Miner Res. 1991 Oct;6 Suppl 2:S117-20; discussion S121-4.
PMID: 1763662 [PubMed - indexed for MEDLINE]

☐ 15: [Heath EM, Simmons MJ.](#)[Related Articles, Links](#)

Genetic and molecular analysis of repression in the P-M system of hybrid dysgenesis in *Drosophila melanogaster*.

Genet Res. 1991 Jun;57(3):213-26.

PMID: 1653752 [PubMed - indexed for MEDLINE]

☐ 16: [Laurie CC, Heath EM, Jacobson JW, Thomson MS.](#)[Related Articles, Links](#)

Genetic basis of the difference in alcohol dehydrogenase expression between *Drosophila melanogaster* and *Drosophila simulans*.

Proc Natl Acad Sci U S A. 1990 Dec;87(24):9674-8.

PMID: 2124699 [PubMed - indexed for MEDLINE]

☐ 17: [McKim JM, Heath EM.](#)[Related Articles, Links](#)

Dose determinations for waterborne 2,5,2',5'-[14C]tetrachlorobiphenyl and related pharmacokinetics in two species of trout (*Salmo gairdneri* and *Salvelinus fontinalis*): a mass-balance approach.

Toxicol Appl Pharmacol. 1983 Apr;68(2):177-87.

PMID: 6407150 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Show: 20	▼	Sort	▼	Send to	Text	▼
Items 1-17 of 17								One page.	

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jun 12 2003 10:19:17